G9 BULB 320LM 2.6W 4000K NON-DIMM 300 BEAM CLEAR INTEGRAL

ILG9NE013



Integral LED G9 lamps offer a high lumen output in Cool White or Warm White. At 2.6W they are highly efficient compared to the halogen lamps they are designed to replace.

Details

Quick Order Code:	429959
Barcode:	5055788260189
Category:	Lamps
Range Name:	Everyday
Market Segment:	Commercial indoor, Residential indoor
Warranty (Years):	2
CE RoHS:	Yes
Physical Data	

Product Length (mm):	52
Product Width (mm):	16
Product Weight (g):	1
Material:	Plastic
Base Term:	G9
Bulb Base:	G9
Construction:	Plastic
Globe Finish:	Clear
Bulb or Luminaire Shape:	Cylindrical
Placement / Application:	Indoor, General Lighting
Spot Type:	SMD

Electrical Data

Power Consumption (W) :	2.6
Power Factor:	0.4
Wattage equivalent (W):	30
Amperage (mA):	24
Dimming:	Non-Dimmable
Driver Included:	Yes
Electric Current:	AC
True Wattage Eq (W):	30


EN:	EN-62560
LVD Certified:	Yes

Light Data

Luminous Flux in Lumens (Im): Luminous efficacy (Im/W):	320 123
Correlated Colour Temperature (CCT) (K):	4000
Colour Temperature:	4000K - Cool White
Colour Temperature Name:	Cool White
Beam Angle:	300
Colour Rendering Index (CRI):	80
Colour Type:	Single
Frequency Range (Hz):	50/60
Instant on (Less than 1 second):	Yes
LED Type:	COB
Lifetime (hours):	15000
Switching Cycles:	7500

Environment

EN:	EN-62560
LVD Certified:	Yes
CE RoHS:	Yes
Previous Energy Rating:	A++
New Energy Rating:	E
Hg 0% (Mercury Free):	Yes
IP Rating (Ingress Protection):	IP20
Lowest Operating Temperature (°C):	-20
Maximum Operating Temperature (°C):	40



Packaging

Package Weight (g): Package Length (mm): Package Width (mm): Package Depth (mm):

G **3** kWh/1000h

ENERG[†]

E

N

integral LED

ILG9NE013

A

60 Portal.integral-led.com

15

Portal.integral-led.com