

**Outdoor Curve Wall Light 7.5W 3000K 360lm IP54***Partcode: ILDEA008 / Page: 1*

Discover Integral's new outdoor range. Light up the exterior of your home with these compact, stylish and contemporary LED luminaires. Weatherproof and hard-wearing, this range is designed to last against the elements while bringing a designer look to your surroundings.

Sleek and sophisticated, the Curve wall light is the ideal accessory to light up your outdoor space.

[Watch Video](#)

**Product Details**

Partcode: ILDEA008

Check Code: 306447

Range Name: Wall Light

Product Type: Outdoor

Warranty: 3 Years

CE / RoHS: Yes

**Physical Data**

Optic: Opal Polycarbonate diffuser

Material: Die cast aluminium body with powder coated finish

**Physical Data**

Length: 270mm  
Width: 82mm  
Depth: 112mm  
Weight (Unpackaged Single Unit): 675g  
Luminaire Fixing: Wall Mounted


**Electrical Data**

Voltage Range: 220-240V  
Power Consumption: 7.5 Watts  
Driver included: Yes  
Electric Current: AC  
Ampage: 350.00mA  
Frequency Range: 50/60 Hz  
Power Factor:  $\geq 0.80$   
Dimming: Non-dimmable  
LVD Certified: Yes  
EN: EN-60598

**Light Data**


Lumens: 360lm  
Lumens per Watt: 48.0lm/W  
Correlated Colour Temperature (CCT): 3000k  
Colour Temperature: Warm White  
Colour Rendering Index (CRI):  $\geq 80$   
LED Type: Surface mounted device (SMD)  
Instant on - Less than 1 second: Yes  
Lifetime: 25,000 hrs  
Switching Cycles:  $>12,500$  X

### Environmental



Lowest Operating Temperature: -20 degrees  
Maximum Operating Temperature: 40 degrees  
IP (Ingress Protection) Rating: IP54  
Hg 0% (Mercury Free): Yes

### Packaging



EAN Barcode (unit of 1): 5055788232605

Packaged Weight (Unit of 1): 780g

Length (unit of 1): 285mm

Width (unit of 1): 95mm

Depth (unit of 1): 120mm

**Outer packaging info available on website**

*Product data last updated on: Tuesday, October 15, 2019 - 12:31*