GLS BULB E27 470LM 4.8W 5000K NON-DIMM 240 BEAM FROSTED INTEGRAL

ILGLSE27NF111



This 4.8W great all-purpose retrofit Integral LED Classic Globe (GLS) delivers a daylight output equivalent to 40W, offering big energy savings over equivalent incandescent bulbs. With a 470 lumen output and frosted finish this lamp is ideal for rooms with a single pendant fitting, living rooms, hallways and kitchens.

Details

Quick Order Code: Barcode: Category: Range Name: Product Body Finish: Market Segment: Warranty (Years): CE RoHS:	630840 5055788258926 Lamps Everyday Matt white Commercial indoor, Residential indoor 2 Yes
Physical Data Product Length (mm): Product Width (mm): Product Weight (g): Material: Base Term: Bulb Base: Construction: Globe Finish: Globe Finish: Bulb or Luminaire Shape: Placement / Application:	103 60 30 Plastic Edison screw E27 Plastic Frosted GLS Round Indoor, General Lighting
Spot Type:	SMD

Electrical Data

Power Consumption (W) :	4.8
Power Factor:	0.4
Wattage equivalent (W):	40
Amperage (mA):	42


Dimming:	Non-Dimmable
Driver Included:	Yes
Electric Current:	AC
True Wattage Eq (W):	40
EN:	EN-62560
LVD Certified:	Yes

Light Data


Luminous Flux in Lumens (Im):	470
Luminous efficacy (Im/W):	98
Correlated Colour Temperature (CCT) (K):	5000
Colour Temperature:	5000K - Daylight
Colour Temperature Name:	Daylight
Beam Angle:	240
Colour Rendering Index (CRI):	80
Colour Type:	Single
Frequency Range (Hz):	50/60
Instant on (Less than 1 second):	Yes
LED Type:	Surface mounted device (SMD)
Lifetime (hours):	15000
Switching Cycles:	7500

Environment

EN:	EN-62560
LVD Certified:	Yes
CE RoHS:	Yes
Previous Energy Rating:	A+
New Energy Rating:	F
Hg 0% (Mercury Free):	Yes
IP Rating (Ingress Protection):	IP20
Lowest Operating Temperature (°C):	-20
Maximum Operating Temperature (°C):	40



Packaging



Portal.integral-led.com

	60
Package Weight (g):	120
Package Length (mm):	65
Package Width (mm):	65
Package Depth (mm):	

Portal.integral-led.com