Classic Globe (GLS) 13.5W (100W) 2700K 1521Im E27 Dimmable Frosted Lamp

Partcode: ILGLSE27DC032 / Page: 1



This 13.5W retro-fit Integral LED Classic Globe (GLS) (large screw base) delivers a dimmable, warm light and brightness. With a 1521 lumen output, this lamp is one of only a few true 100W filament bulb replacements available today. It features high output LEDs, an anti-glare refractor, all finished in an aluminium and plastic, thermally efficient body. Ideal for rooms with a single pendant fitting, living rooms, hallways and kitchens.

Product Details

Partcode: ILGLSE27DC032 Check Code: 114268 Range Name: Everyday Placement / Application: Indoor, General Lighting Market Segment: Commercial indoor, Residential indoor Product Type: GLS Warranty: 2 Years CE / RoHS: Yes Physical Data

Lamp Base: E27 Base Type: Edison screw Base Colour: Matt white Globe Type: Classic Globe (GLS) Globe Finish: Frosted Material: Aluminium, Polycarbonate Construction: Aluminium and Plastic heat-sink, Injection moulded diffuser

www.integral-led.com

integral LED

Partcode: ILGLSE27DC032 / Page: 2

Physical Data

Length: 122mm Width: 60mm Weight (Unpackaged Single Unit): 121g Lamp or Luminaire Shape: Round Lamp Fixing: Pendant, Wall

Electrical Data

Voltage Range: 220-240V Power Consumption: 13.5 Watts Driver included: Yes Driver IC Manufacturer: Marvel Electric Current: AC Ampage: 70.00mA Frequency Range: 50 Hz Power Factor: >=0.90 Wattage Equivalent: 100 Watts Dimming: Dimmable with compatible dimmers Compatible Dimmer(s): Varilight JQP401W LVD Certified: Yes EN: EN-62560

Light Data


Lumens: 1,521lm Lumens per Watt: 113.0lm/W Beam Angle: 150° Correlated Colour Temperature (CCT): 2700k Colour Temperature: Warm Colour Rendering Index (CRI): >=80 LED Type: Surface mounted device (SMD) Instant on - Less than 1 second: Yes Lifetime: 15,000 hrs Switching Cycles: >7,500 X

www.integral-led.com



Partcode: ILGLSE27DC032 / Page: 3

Environmental



Energy Rating: A+ Lowest Operating Temperature: -20 degrees Maximum Operating Temperature: 40 degrees IP (Ingress Protection) Rating: IP20 Hg 0% (Mercury Free): Yes

Packaging



EAN Barcode (unit of 1): 5055788212591 Packaged Weight (Unit of 1): 160g Length (unit of 1): 135mm Width (unit of 1): 68mm Depth (unit of 1): 68mm **Outer packaging info available on website**

Product data last updated on: Tuesday, September 17, 2019 - 11:40

www.integral-led.com