

Product Specification Sheet

Panel Edge-lit 600x600 38W 6500k 3850lm

Partcode: ILP6060E007 / Page: 1



This is a 38W, 3850lm 600x600 Integral LED Value+ panel. It delivers a uniform cool Daylight light across the whole of its surface. The high level of efficacy (101lm/W) offers savings in running cost against traditional 72W fluorescent fittings as well as many other LED panels.

The panels are an ideal solution for many applications.

Product Details

Partcode: ILP6060E007 Check Code: 149945 Range Name: Value+

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor

Product Type: 600x600

Warranty: 3 Years CE / RoHS: Yes

Physical Data

Product Finish: White Optic: Opal diffuser

Material: Aluminium, Steel, PS Diffuser

Construction: extruded Aluminium, steel back, LGP sheet and PS diffuser



Product Specification Sheet

Partcode: ILP6060E007 / Page: 2

Physical Data

Length: 596mm Width: 596mm Depth: 8mm

Weight (Unpackaged Single Unit): 2200g

Luminaire Fixing: Recessed in ceiling grid, surface mounted, or suspended. (additional surface mounted or

suspension kit required)

Electrical Data

Voltage Range: 220-240V

Power Consumption: 38.0 Watts

Driver included: Yes Electric Current: AC Ampage: 835.00mA

Frequency Range: 50/60 Hz

Power Factor: >=0.90

Wattage Equivalent: 86 Watts

Dimming: Non-dimmable

LVD Certified: Yes EN: EN-60598

Light Data

Lumens: 3,850lm

Lumens per Watt: 101.0lm/W Lighting Method: Edge-lit

Beam Angle: 110º

Correlated Colour Temperature (CCT): 6,500k

Colour Rendering Index (CRI): >=80

LED Type: Surface mounted device (SMD)

LED Size: 2835

Instant on - Less than 1 second: Yes

Lifetime: 30,000 hrs

Switching Cycles: >25,000 X



Product Specification Sheet

Partcode: ILP6060E007 / Page: 3

Environmental

Lowest Operating Temperature: -10 degrees

Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: IP20
IP Rating (Back/Recessed side): IP20

Hg 0% (Mercury Free): Yes

Packaging

EAN Barcode (unit of 1): 5055788229704

Length (unit of 1): 686mm Width (unit of 1): 640mm Depth (unit of 1): 40mm

Outer packaging info available on website

Product data last updated on: Friday, June 15, 2018 - 12:24